

# EQUIPMENT SPECIFICATIONS



Height	Material	Tare Weight (kg/lbs)	Max Cargo Cap. (kg/lbs)	Door Opening		Interior Dimensions			Interior Cube (m <sup>3</sup> /cft)
				Width (mm/ft)	Height (mm/ft)	Length (mm/ft)	Width (mm/ft)	Height (mm/ft)	
8'-6"	Steel	2,330	28,150	2,340	2,280	5,898	2,393	2,392	33.2 1,172
		5,137	62,060	7' 8"	7' 6"	19' 4"	7' 9"	7' 10"	

## 20' Dry Freight Container



Height	Material	Tare Weight (kg/lbs)	Max Cargo Cap. (kg/lbs)	Door Opening		Interior Dimensions			Interior Cube (m <sup>3</sup> /cft)
				Width (mm/ft)	Height (mm/ft)	Length (mm/ft)	Width (mm/ft)	Height (mm/ft)	
8'-6"	Steel	3,820	26,660	2,340	2,280	12,032	2,352	2,393	67.6 2,390
		8,422	58,774	7' 8"	7' 6"	39' 6"	7' 9"	7' 10"	

## 40' Dry Freight Container

# EQUIPMENT SPECIFICATIONS



Height	Material	Tare Weight (kg/lbs)	Max. Cargo Cap. (kg/lbs)	Door Opening		Interior Dimensions			Interior Cube (m <sup>3</sup> /cft)
				Width (mm/ft)	Height (mm/ft)	Length (mm/ft)	Width (mm/ft)	Height (mm/ft)	
8'-6"	Steel	2,600 5,732	21,400 47,179	—	—	5,954 19' 6"	2,374 7' 9"	2,255 7' 5"	31.9 1,126

## 20' Flat Rack Container



Height	Material	Tare Weight (kg/lbs)	Max. Cargo Cap. (kg/lbs)	Door Opening		Interior Dimensions			Interior Cube (m <sup>3</sup> /cft)
				Width (mm/ft)	Height (mm/ft)	Length (mm/ft)	Width (mm/ft)	Height (mm/ft)	
9'-6"	Steel	3,970 8,752	26,510 58,443	2,340 7' 8"	2,585 8' 6"	12,032 39' 6"	2,352 7' 9"	2,698 8' 10"	76.3 2,693

## 40' Flat Rack Container

# EQUIPMENT SPECIFICATIONS



Height	Material	Tare Weight (kg/lbs)	Max Cargo Cap. (kg/lbs)	Door Opening		Interior Dimensions			Interior Cube (m <sup>3</sup> /cft)
				Width (mm/ft)	Height (mm/ft)	Length (mm/ft)	Width (mm/ft)	Height (mm/ft)	
8'-6"	Steel	2,450	21,550	2,338	2,234	5,891	2,350	2,330	32.2
		5,401	47,510	7' 8"	7' 4"	19' 4"	7' 9"	7' 8"	1,137

## 20' Open Top Container



Height	Material	Tare Weight (kg/lbs)	Max Cargo Cap. (kg/lbs)	Door Opening		Interior Dimensions			Interior Cube (m <sup>3</sup> /cft)
				Width (mm/ft)	Height (mm/ft)	Length (mm/ft)	Width (mm/ft)	Height (mm/ft)	
8'-6"	Steel	3,930	26,550	2,338	2,244	12,032	2,346	2,354	65.8
		8,664	58,532	7' 8"	7' 4"	39' 5"	7' 9"	7' 8"	2,323

## 40' Open Top Container

# EQUIPMENT SPECIFICATIONS



Height	Material	Tare Weight (kg/lbs)	Max Cargo Cap. (kg/lbs)	Door Opening		Interior Dimensions			Interior Cube (m <sup>3</sup> /cft)
				Width (mm/ft)	Height (mm/ft)	Length (mm/ft)	Width (mm/ft)	Height (mm/ft)	
8'-6"	MGSS	3,080 6,790	27,400 53,086	2,290 7' 6"	2,264 7' 5"	5,454 18' 1"	2,294 7' 7"	2,263 7' 5"	28.3 1,002

## 20' Refrigerated Container



Height	Material	Tare Weight (kgs/lbs)	Max Cargo Cap. (kgs/lbs)	Door Opening		Interior Dimensions			Cube (m <sup>3</sup> /cft)
				Width (mm/ft)	Height (mm/ft)	Length (mm/ft)	Width (mm/ft)	Height (mm/ft)	
8' 6"	Alum.	4,100 9,039	26,380 58,158	2,286 7' 6"	2,169 7' 1"	11,679 38' 4"	2,286 7' 6"	2,211 7' 3"	59.0 2,083

## 40' Refrigerated Container